

INDEX MAPS.

T. 13N, R. 2E. 2nd Mer.

457-460 458-460 458-460 458-459 458-459 458-459

463	6	488	5	481	4	477	3	472	2	468	1	457
	487		487		481		477		472		468	
462	7	486	8	481	9	476	10	472	11	467	12	456
	486		486		480		476		471		466	
462	18	485	17	480	16	476	15	471	14	466	13	456
	485		485		480		475		471		465	
461	19	484	20	479	21	475	22	470	23	465	24	456
	483		484		479		474		470		465	
461	30	483	29	479	28	474	27	469	26	464	25	455
	482		483		478		473		469		464	
461	31	482	32	477	33	473	34	469	35	464	36	455
	455		454		454		453		453		453	


Meanders 488

T.

R.

Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

 The figures on the lines refer to the page.

452

Township N. 13 N., Range E. 2 E., T. 36 S., R. 2 E., Mer. Indiana

South Boundary var. $7^{\circ} 15' E.$

West On S. boundary of Sec. 36, T. 13 N., R. 2 E.

25.75 a Beech 12 m. dia. in the line

29.15 a Branch 8 lks. wide Cr. S. M.

40.00 At the q. Sec. post, from which
a Beech 12 m. dia. bray N 28 E 21 lks. dist. of
a do 15 " " " S 36 W 15 " "

48.40 a Branch 6 lks. wide Cr. S. M.

53.70 a Beech 12 m. dia. in the line

61.00 a Branch 5 lks. wide Cr. S. M.

80.00 At a post Cor. to Sec. 35 & 36, from which
an Elm 20 m. dia. bray S 34 E 20 lks. dist. of
a Poplar 36 " " " N 35 E 27 " "
Broken land, timber Beech, Sugar, Poplar &c.
under th Spruce, Green briar &c.

West On S. boundary of of Sec. 35, T. 13 N., R. 2 E.

11.25 a Beech 15 m. dia. in the line

40.00 At the q. Sec. post, from which
a Sugar 7 m. dia. bray N 82 E 8 lks. dist. of
a Hickory 9 " " " S 81 W 10 " "

44.90 a M. Oak 30 " " in the line

51.00 a Branch 8 lks. wide Cr. S. M.

61.00 a Creek 40 lks. " " S. M.

80.00 At a post Cor. to Sec. 34 & 35, T. 13 N., R. 2 E, from
which a Buckeye 12 m. dia. bray N 65 W 13 lks. dist. of
a Hickory 9 " " " S 83 E 23 " "
Sand timber &c. same as on the last mile

West On S. boundary of Sec. 34, T. 13 N., R. 2 E.

19.80 a Beech 15 m. dia. in the line

36.50 a Branch 5 lks. wide Cr. S. M.

40.00 At the q. Sec. post, from which

T13 N. R2 E, 2nd Mer. Indiana

- a Beech 15 in. dia. brang N 57 E 34 lks. dist. of
 a Do 8 " " " N 22 W 15 " "
 56.20 a Sycamore 30 " " in the line
 59.00 a Branch 15 lks. wide Cr. N.W.
 80.00 Set a post Cor. to Sec. 33 of 34, from which
 a Buckeye 9 in. dia. brang N 70 W 30 lks. dist. of
 a Do 12 " " " S 75 E 24 " "
 1st 1/2 rich - last 1/2 level bottom, timber
 Hickory, Walnut, Buckeye &c. undgth Spice. Soil rich
-

- West On S. boundary of Sec. 33, T13 N. R2 E.
 19.60 a Hickory 15 in. dia. in the line
 40.00 Set the gr. Sec. post, from which
 a Blue Ash 9 in. dia. brang N 45 W 22 lks. dist. of
 a Do 8 " " " S 2 E 8 " "
 47.90 a Bur Oak 15 " " in the line
 80.00 Set a post Cor. to Sec. 32 of 33, from which
 a Hackberry 20 in. dia. brang S 72 W 5 lks. dist. of
 a Do 18 " " " N 40 E 12 " "
 Level bottom land, timber Hackberry, Walnut &c.
 undgth Spice, vines &c. rich Soil.
-

- West On S. boundary of Sec. 32, T13 N. R2 E.
 19.02 Set a post on Left bank of White River from which
 an Elm 6 in. dia. brang S 86 E 9 lks. dist. of
 a Maple 9 " " " N 77 W 9 " "
 23.79 Set a post on Right bank of River from which
 a Hackberry 21 in. dia. brang S 21 E 7 lks. dist. of
 a Mulberry 18 " " " N 31 W 23 " "
 40.00 Set the gr. Sec. post, from which
 a B. Walnut 27 in. dia. brang N 25 W 54 lks. dist. of
 a Hickory 9 " " " S 46 W 18 " "
 80.00 Set a post Cor. to Sec. 31 of 32, from which

T13N R2E 2nd Mer. Indiana

455

a Beech 9 in. dia. bray N 51 W 34 lks. dist. of
a Do 15 " " " S 76 E 16 " "
Level land, timber Walnut, Hackberry, Sugar &c.
undergth Spice, subject to overflow

West On S. boundary of Sec. 31, T13N, R2E.
40.00 Let the q. Sec. post, from which
a Hickory 18 in. dia. bray N 73 W 26 lks. dist. of
a Red Oak 27 " " " S 17 E 10 " "
65.37 to Town Corner.

East Boundary var. 5.55'E
North On E. boundary of Sec. 36, T13N, R2E.
6.65 a Beech 27 in. dia. in the line
8.50 a Branch 4 lks. wide Cr. S. N. E.
40.00 Let the q. Sec. post, from which
a Beech 36 in. dia. bray N 28 W 27 lks. dist. of
a Do 21 " " " S 42 E 5 " "
46.35 a Beech 20 " " in the line
61.00 a Branch 6 lks. wide Cr. S. N. W.
67.54 a Do 15 " " " S. W.
80.00 Let a post Corner to Sec. 25 of 36, from which
a Beech 9 in. dia. bray N 51 E 7 lks. dist. of
a Do 8 " " " S 41 W 16 " "
Gently rolling, timber, Beech, Sugar, Ash,
Poplar, undergth Spice

North On E. boundary of Sec. 25, T13N, R2E
17.00 a W. Oak 27 in. dia. in the line
40.00 Let the q. Sec. post, from which
a Beech 27 in. dia. bray S 6 E 22 lks. dist. of
a Do 18 " " " N 27 E 12 " "
58.50 a Beech 15 " " in the line

S13 N - R2 E, 2^d. Mer. Indiana

80.00 Set a post Cor. to Sec. 24 & 25, from which
a Beech 18 in. dia. bran N 24 W 22 lks. dist. of
a do 24 " " " N 15 E 28 " "
Rolling land, timber Beech, Sugar, ash, &c.
undergth. Spice, Sugar &c. Soil good

North On E. boundary 24, S13 N. R2 E.

23.05 an Elm 12 in. dia. in the line

40.00 Set the g. Sec. post, from which
a Red Oak 27 in. dia. bran S 29 W 6 lks. dist. of
a Sugar 8 " " " N 30 E 22 " "

50.30 a Hickory 20 " " in the line

80.00 Set a post Cor. to Sec. 13 & 24, from which
a Beech 24 in. dia. bran S 43 W 2 lks. dist. of
a do 10 " " " N 39 E 47 " "
Rolling l. Rich land, Beech, Sugar, Cherry
Walnut &c. undergth. Spice, rich Soil

North On E. boundary of Sec. 13, S13 N. R2 E.

23.20 a Sugar 15 in. dia. in the line

27.00 a Branch 8 lks. wide Cr. S. W.

40.00 Set the g. Sec. post from which
a Lycamore 40 in. dia. bran S 68 W 10 lks. dist. of
a Beech 20 " " " N 68 E 15 " "

62.90 a Sugar 15 " " in. dia.

80.00 Set a post Cor. to Sec. 12 & 13, from which
a Sugar 15 in. dia. bran N 38 E 32 lks. dist. of
a do 6 " " " S 20 W 4 " "
Rolling land, timber Beech, Sugar, Walnut
undergth. Spice, rich soil

North On E. boundary Sec. 12, S13 N. R2 E.

20.40 a W. Oak 36 in. dia. in the line

T13N R2E2nd Mer. Indiana

- 40.00 Set the q^r. Sec. post, from which
at Buckeye 12 mi. dist. from N45E13W dist. of
a Hickory 9 " " " N26W9 " "
- 59.35 a Hackberry 21 in. diam. in the line
- 80.00 Set a post Cor. to Sec. 1 & 12, from which
a Hackberry 20 in. diam. from N83W43W dist. of
a Bur. Oak 20 " " " N66E35 " "
- Level bottom, timber Hackberry, Walnut, Buckeye
&c. undergth Spice, prickly Ash, &c. rich Soil

North On E. boundary of Sec. 1, T13N. R2E.

- 14.18 Set a post on Left bank of White river from which
a Sycamore 30 in. diam. from S54E12W dist. of
a Do 12 " " " S36W10 " "
- 17.34 Set a post on Right bank of White river from which
a Sycamore 6 in. diam. from S83E8W dist. of
a Do 6 " " " N47W15 " "
- 28.30 a Hickory 24 " " in the line
- 40.00 Set the q^r. Sec. post, from which
a Hackberry 18 in. diam. from N7W20W dist. of
at Buckeye 15 " " " N55E10 " "
- 77.12 Set a post Cor. to Township, 13 of 14 N. Range,
2 of 3 East, from which
an Elm 12 in. diam. from S21E25W dist. of
a Hackberry 12 " " " N44E41 " "
- Level Land.

North Boundary var. 7.00 E

East On Random S. boundary Sec. 31, T14N. R2E.

- 40.00 Set temp^y. q^r. Sec. post
- 47.00 at Brook 8 W. wide Cr. N.E.
- 64.70 Set temp^y. post Cor. to Sec. 31 & 32, T14N. R2E
Good farming land, Beech, Sugar, Ash Elm & Spice

T13N R2E, 2^d Mer. Indiana

East On Random S. boundary Sec. 32, T14N. R2E.

11.00 a Brook 10 lks, wide Cr. S.

20.00 a do 20 " " " S.W.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Cor. to Sec^s. 32 & 33, T14N. R2E.

East On Random S. boundary Sec 33, T14N. R2E.

5.00 a Branch 12 lks, wide Cr. S.W.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Cor. to Sec^s. 33 & 34, T14N. R2E.

2^d rate land Beech, Sugar, Oak, Hick^y, & Spice

East On Random S. boundary Sec. 34, T14N. R2E.

9.00 a Brook 8 lks, wide Cr. N.E.

37.00 a do 15 " " " South

40.00 Set temp^y. q^r. Sec. post

48.00 a Brook 12 lks, wide Cr. South

80.00 Set temp^y. Cor. to Sec^s. 34 & 35, T14N. R2E.

East On Random S. boundary Sec 35, T14N. R2E.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Cor. to Sec^s. 35 & 36, T14N. R2E.

Good farming land, Sugar, Beech, Hickory, Locust
Gum &c. underg^d. Spice

East On Random S. boundary Sec. 36, T14N. R2E.

0.00 a Creek 25 lks, wide Cr. South

26.00 a Branch 20 " " " South

40.00 Set temp^y. q^r. Sec. post

75.00 post Cor. of T^s. 13 & 14 N. Range 2 & 3 E

This mile bottom, timber Sugar, Ash, Elm,
Locust, Mulberry, grapevines, & Spice

T13N-R2E, 2^d. Mer. Indiana 459

West On S. boundary of Sec. 36, T14N. R2E, true line
 11.25 a Hackberry 12 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 12 in. dia. bran 166 W 13 lbs. dist. of
 a Do 30 " " " N 57 W 22 " "
 58.25 an Ash 20 " " in the line
 80.00 Set a post Cor. to Sec. 35 & 36, T14N. R2E, from which
 a Buckeye 12 in. dia. bran 138 W 15 lbs. dist. of
 a Hackberry 9 " " " N 3 E 18 " "
 Level land 1st half River bottom low ground - last
 half 1st rate land Walnut, Hackberry & Buckeye &
 undugth Spruce &c.

West On S. boundary of Sec. 35, T14N. R2E,
 20.00 a Poplar 16 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a W. Oak 21 in. dia. bran 128 W 20 lbs. dist. of
 a Beech 7 " " " N 14 W 15 " "
 62.10 an Ash 20 " " in the line
 80.00 Set a post Cor. to Sec. 34 & 35, T14N. R2E, from which
 a Sugar 10 in. dia. bran 135 W 25 lbs. dist. of
 a Do 14 " " " N 53 E 20 " "
 Rolling good farming land, Sugar, Ash, Beech,
 &c. undugth Spruce, rich soil

West On S. boundary of Sec. 34, T14N. R2E,
 12.60 a Branch 5 lbs. wide Cr. S.E.
 26.20 a Do 8 " " " S.E.
 27.30 an Ironwood 8 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 9 in. dia. bran N 21 E 4 lbs. dist. of
 a W. Walnut 12 " " " N 60 E 47 " "
 61.70 a Poplar 18 " " in the line

T13 N. R2 E2. Mer. Indiana

87.00 Set a post Cor. to Sec. 33 & 34, T14 N. R2 E, from which
 a Hickory 10 m. dia. bran N4 E 30 lks. dist. of
 a Do 12 " " " N26 W 10 " "
 Rolling land, Beech, Ash, Sugar, Oak &c.
 undergrowth Spice &c. Soil good

West On S. boundary of Sec. 33, T14 N. R2 E

23.25 a Hickory 18 m. dia. in the line

40.00 Set the q. Sec. post, from which

a Beech 15 m. dia. bran N41 E 10 lks. dist. of

a Sugar 9 " " " N77 W 27 " "

51.75 a Sugar 15 " " in the line

80.00 Set a post Cor. to Sec. 32 & 33, T14 N. R2 E, from which

a Hickory 6 m. dia. bran S33 E 11 lks. dist. of

a Beech 9 " " " N83 W 19 " "

Level land, timber Beech, Oak, Sugar &c. undy.

Spice, Hazel &c. Soil good

West On S. boundary of Sec. 32, T14 N. R2 E.

31.55 a Branch 6 lks. wide C.S. S.W.

40.00 Set the q. Sec. post, from which

a Hickory 9 m. dia. bran S35 E 6 lks. dist. of

a Blue Ash 10 " " " N78 W 14 " "

53.10 a Branch 6 lks. wide C.S. S.E.

53.60 a Blue Ash 30 m. dia. in the line

80.00 Set a post Cor. to Sec. 31 & 32, T14 N. R2 E, from which

a Beech 13 m. dia. bran S69 E 15 lks. dist. of

a Do 10 " " " N60 W 33 " "

West On S. boundary of Sec. 31, T14 N. R2 E.

8.15 a Beech 36 m. dia. in the line

40.00 Set the q. Sec. post, from which

a Sugar 6 m. dia. bran N18 W 8 lks. dist. of

T¹³N. R²E. 2^d Mer. Indiana

461

a Sugar 9 in. dia. bran N 17 W 15 lbs. dist. of
64.70 To Town Corner.

Land rolling, timber Sugar, Ash, Poplar &c.
undergth. Spruce &c.

Nest Boundary var. 6.06 E.

North On E. boundary of Sec. 36, T¹³N. R¹E

2.50 a Branch 10 lbs. wide Cr. S.W.

36.72 a Hickory 10 in. dia. in the line

40.00 At the q. Sec. post, from which

a Beech 18 in. dia. bran S 42 W 17 lbs. dist. of

a Sugar 14 " " " N 31 E 19 " .

54.82 a Beech 18 " " in the line

80.00 At a post Cor. to Sec. 25 & 36, T¹³N. R¹E, from which

a Beech 18 in. dia. bran S 54 E 9 lbs. dist. of

a Do 8 " " " N 51 W 19 " .

Good farming land, Beech, Sugar, Poplar, Ash &c
little undergrowth.

North On E. boundary of Sec. 25, T¹³N. R¹E.

5.00 a Branch 10 lbs. wide Cr. S.W.

25.40 a Sycamore 36 in. dia. in the line

40.00 At the q. Sec. post, from which

an Ash 9 in. dia. bran N 45 W 18 lbs. dist. of

a Beech 21 " " " S 25 E 18 " .

62.23 a Poplar 54 " " in the line

70.50 a Branch 6 lbs. wide Cr. S.W.

80.00 At a post Cor. to Sec. 24 & 25, T¹³N. R¹E, from which

a Beech 18 in. dia. bran N 65 E 22 lbs. dist. of

a Do 12 " " " S 36 W 22 " .

Good farming land timber as above, little undgth.

North On E. boundary of Sec. 24, T¹³N. R²E.

T3 N R2 E, 2^d. Mer. Indiana

- 7.23 a Beech 24 in. dia. in the line
 21.00 a Branch 6 lks. wide Cr. S.W.
 40.00 At the gr. Sec. post, from which
 a Beech 6 in. dia. bray S 54 E 5 lks. dist. of
 a Hackberry 18 " " " S 49 W 7 " "
 41.50 a Creek 170 lks. wide Cr. West
 80.00 At a post Cor. to Sec. 13 of 24, T3 N. R1 E, from which
 a Beech 16 in. dia. bray N 55 E 5 lks. dist. of
 a Do 15 " " " N 70 W 27 " "
 Good farming land timber as above. July 4th 1819

- North On E. boundary of Sec. 13, T3 N. R1 E.
 30.70 a Walnut 30 in. dia. in the line
 40.00 At the gr. Sec. post, from which
 a Hackberry 14 in. dia. bray S 65 E 26 lks. dist. of
 a Buckeye 10 " " " N 61 W 23 " "
 54.50 a Creek 150 lks. wide Cr. S.E.
 58.54 a Sycamore 30 in. dia. in the line
 65.00 Same Creek 150 lks. wide Cr. S.W.
 80.00 At a post Cor. to Sec. 12 of 13, T3 N. R1 E, from which
 a Sycamore 24 in. dia. bray N 25 W 80 lks. dist. of
 a Buckeye 16 " " " S 38 W 35 " "
 This mile low bottom Subject to inundation
 timber Sycamore, Cottonwood, Buckeye, Spice
 &c. part in bend of the Creek

- North On E. boundary of Sec. 12, T3 N. R1 E.
 12.00 a Creek 150 lks. wide Cr. S.E.
 18.00 Same 150 " " " S.W.
 27.00 Same 150 " " " S.E.
 37.73 a Walnut 20 in. dia. in the line
 40.00 At the gr. Sec. post, from which
 a Locust 7 in. dia. bray S 4 W 5 lks. dist. of

T13 N. R2 E. 2^d. Mer. Indiana

463

a Buckeye 10 m. dia. brang N68W 9 lks. dist. of
41.48 a Walnut 36 m. dia. stands in the line
80.00 Set a post Cor. to Sec. 1, 1 of 12, T13 N. R1 E, from which
an Ash — m. dia. brang N21 E 3 lks. dist. of
a Hickory 7 " " " N70 W 23 " "
Rich Bottom, Walnut, Lym, Angar, Hackberry &c.

North On E. boundary of Sec. 1, T13 N. R1 E.

8.00 a Branch 4 lks. wide E. S. W.

37.50 a Do 10 " " " S. W.

40.00 Set the q. Sec. post, from which
a Sugar 6 m. dia. brang N23 E 8 lks. dist. of
an Ash 10 " " " S23 E 8 " "

71.05 a Poplar 70 " " in the line

74.90 Intersected parallel at Cor. of Town 13 of
14 N. Range, 1 of 2 E. Good farming land
Sugar, Beech, Walnut, Poplar, Spruce, Hemlock.
Surveyed by John M. Donald D. S.

Cor.

Subdivision.

We John P. Brown, Ser. Grover, John Chambrey
and John Gushwa — Do solemnly swear in
the presence of Almighty God, that in all me-
asurements in which we shall be employed
as chainmen in the public surveys, we will
faithfully and impartially execute the duties
of the trust reposed in us, to the best of our
skill and abilities, so help us God.

Chainmen { John P. Brown
John Chambrey
Ser. Grover
as man John Gushwa

Sworn and subscribed before me this 30th

T13 N R2 E. 2^d Mer. Indiana
 day of August 1820.
 Basil Bently, Dep. Sur.

North Between Secs. 35 & 36, T13 N. R2 E.
 29.36 a B. Gum 15 in. dia. in the line
 40.00 At the q. Sec. post, from which
 a Beech 12 in. dia. bray N25 E 20 lks. dist. of
 a Do 18 " " " S10 W 16 " "
 55.75 a Beech 18 " " in the line
 80.00 At a post Cor. to Secs. 25, 26, 35 & 36, from which
 a Beech 12 in. dia. bray N80 E 21 lks. dist. of
 a Do 20 " " " S10 E 23 " "
 Hilly, 3^d rate, Beech, Ash, Oak &c. and g.
 Spice, Green briar, &c. Aug. 30th 1820

East Out Random between Secs. 25 & 36, T13 N. R2 E.
 40.00 At temp. q. Sec. post
 79.70 Intersected the E. boundary 150 lks. S. of post
 Land hilly 3^d rate, Beech, Oak &c. under g.
 Spice, Dogwood, Waterbreck briar &c.

West On true line between Secs. 25 & 36, T13 N. R2 E.
 39.85 At q. Sec. post at average dist. from which
 an Elm 40 in. dia. bray N30 W 27 lks. dist. of
 a Beech 10 " " " N83 E 12 " "
 79.70 to Sec. Corner

North Between Secs. 25 & 26, T13 N. R2 E
 15.84 a Beech 10 in. dia. in the line
 40.00 At the q. Sec. post, from which
 an Ash 10 in. dia. bray N37 W 4 lks. dist. of
 a Hackberry 12 " " " S47 E 25 " "
 55.20 a Beech 12 " " in the line

T13 N. R2 E. 2^d. Mer. Indiana

80.00 Set a post Cor. to Sec. 1, 23, 24, 25 & 26, from which
an Ash 10 in. diam. beam N 74 E 12 lks. dist. of
a Do 11 " " " N 25 W 13 " "
Land rolling 1st rate, underg^d. Spruce &c

East On Random between Sec. 1, 24 & 25, T13 N. R2 E.
40.00 Set temp^y. q^r. Sec. post
79.50 Intersected the E. boundary 110 lks. S. of post
Land rolling 2^d rate, ash, Beech, Sugar &c.
underg^d. Spruce

West On true line betwⁿ. Sec. 1, 24 & 25, T13 N. R2 E.
39.75 Set q^r. Sec. post at average dist. from which
a Sugar 15 in. diam. beam N 39 E 16 lks. dist. of
a Do 10 " " " N 39 W 19 " "
79.50 to Sec. Corner.

North Between Sec. 1, 23 & 24, T13 N. R2 E.
35.40 an Elm 18 in. diam. in the line
40.00 Set the q^r. Sec. post, from which
a Beech 20 in. diam. beam N 70 E 38 lks. dist. of
a Do 40 " " " N 75 W 10 " "
54.90 a Beech 18 " " in the line
77.50 to White River 410 lks. wide Course W. Current moder-
ate where set a post, from which a
Sycamore 7 in. diam. beam N 40 E 4 lks. dist. of
a Do 8 " " " N 11 W 17 " "
80.00 Cor. to Sec. 1, 13, 14, 23 & 24 in River
Land rolling 1st rate, timber Ash, Beech &c.

East On Random betwⁿ. Sec. 1, 13 & 24, T13 N. R2 E.
40.00 Set temp^y. q^r. Sec. post, from which
79.70 Intersected E. boundary 110 lks. S. of the post

T13 N. R2 E. 2^d Mer. Indiana

Land rolling 2^d rate, timber Ash, Beech,
Sugar &c. undergth Spice &c.

West On true line between Sec. 13 & 14, T13 N. R2 E.
39.85 Set q^r. Sec. post at average dist. from which
a Beech 6 in. dia. bray N5 E 10 lks. dist. of
a Do 6 " " " N48 W 7 " "
64.65 Set a post on the left bank of White river from which
a Lycamore 10 in. dia. bray S64 W 21 lks. dist. of
a Maple 30 " " " N69 E 16 " "
79.70 to Sec. Corner.

North Between Sec. 13 & 14, T13 N. R2 E.
2.34 Set a post on Right bank of White R. from which
a Buckeye 10 in. dia. bray N14 W 20 lks. dist. of
a Coffnut 6 " " " South 8 " "
27.96 a B. Walnut 6 " " in the line
40.00 Set the q^r. Sec. post. from which
a Sugar 15 in. dia. bray N54 W 4 lks. dist. of
a Buckeye 10 " " " S55 E 17 " "
52.00 a Sugar 30 " " in the line
80.00 Set a post Cor. to Sec. 11, 12, 13 & 14 from which
a Blue Ash 18 in. dia. bray S40 E 17 lks. dist. of
a Cherry 4 " " " N61 W 17 " "
Land level 2^d rate, timber Ash, B. Walnut,
Sugar &c. undergth Spice, Prickly ash, Thorn &c.

East On Random between Sec. 12 & 13, T13 N. R2 E.
39.37 to White River 314 lks. wide C. S. Current rapid.
40.00 Set temp^y. q^r. Sec. post
54.75 White River 300 lks. wide C. S. E. Current rapid
65.50 White River 320 " " South Current lively
79.40 Intersected the E. boundary 80 lks. S. of post.

T3. N. R2 E. 2. Mer. Indiana

Land rolling 2^d rate, timber Ash, Sugar, Hack-
-berry &c. undergth vines &c.

-
- West On true line between Sec. 12 & 13, T3. N. R2 E.
 10.80 Set a post on Left bank of White River, from which
 an Ironwood 7 m. dia. - bear S43 E 22 lks. dist. of
 a Hickory 4 " " " S85 E 13 " "
 15.00 Set a post on Right bank of White River, from which
 a Willow 12 m. dia. - bear N82 W 7 lks. dist. of
 a Do 6 " " " S80 E 10 " "
 20.50 Set a post on Right bank of W. River again from which
 a Willow 8 m. dia. - bear S30 W 20 lks. dist. of
 a Sycamore 4 " " " S40 E 7 " "
 24.38 Set a post on left bank of W. River from which
 a Willow 6 m. dia. - bear N72 W 21 lks. dist. of
 a Do 7 " " " S70 E 18 " "
 34.10 Set a post on left bank of River again, from which
 a Maple 3 m. dia. - bear S27 E 4 lks. dist. of
 a Do 5 " " " N37 W 4 " "
 39.70 q. Sec. Corner in the River
 39.78 Set a post on Right bank of River from which
 a Willow 10 m. dia. - bear N39 E 6 lks. dist. of
 a Maple 5 " " " S28 W 70 " "
 79.40 to Sec. Corner August 31st 1820
-

- North Between Sec. 11 & 12, T3. N. R2 E.
 24.40 an Elm 36 m. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 40 m. dia. - bear S70 W 9 lks. dist. of
 a Do 31 " " " East 35 " "
 52.80 an Ash 24 " " in the line
 80.00 Set a post Cor. to Sec. 1, 2, 11, 12, from which
 a Hackberry 18 m. dia. - bear N47 E 23 lks. dist. of

T3st. R2 E. 2ⁿ. Mer. Indiana

at Beech 10 in. dia. bran S69W9 lks. dist.
 Sand level 1st rate, Hackberry Sugar, Elm &c.
 undergth. Spruce &c.

East On Random between Sec. 16 & 12, T3st. R2 E.
 40.00 Set temp^l. of Sec. post.
 50.00 White River 210 lks. wide Course S. Current moderate
 79.25 Intersected the E. boundary 123 lks. S. of post.
 Sand level 1st rate, Elm, Ash, Hackberry &c.
 undergth. Swampy Bogwood, Ash &c.

West On true line between Sec. 16 & 12, T3st. R2 E.
 27.00 Set a post Left bank of White river, from which
 a Sycamore 24 in. dia. bran S34W14 lks. dist. &
 a do 18 " " " S61E22 " "
 31.35 Set a post on Right bank of River from which
 a Water Beech 6 in. dia. bran S31W17 lks. dist. &
 a Hackberry 7 " " " N47E10 " "
 39.62 Set of Sec. post at average dist. from which
 a Buckeye 10 in. dia. bran S64E16 lks. dist. &
 a do 12 " " " N78W35 " "
 79.25 to Sec. Corner.

North Between Sec. 16 & 12, T3st. R2 E.
 21.60 an Ash 36 in. dia. with line
 40.00 Set the of Sec. post, from which
 an Ash 4 in. dia. bran N39-27 lks. dist. &
 a do 12 " " " S22W20 " "
 57.65 at Beech 30 " " in the line
 77.90 Intersected the N. boundary 288 lks. W. of post
 Set a post Cor. to Sec. 16 & 12, from which
 an Elm 40 in. dia. bran S64W21 lks. dist. &
 a B. Walnut 36 " " " N64E13 " .

T3 N. R2 E. 2ⁿ. Mer. Indiana

Land level 1st rate, Ash, Beech, Walnut, Sugar,
 Elm &c. undergth Office.

North Between Secs. 34 & 35, T3 N. R2 E.

21.70 a Beech 7 in. dia. in the line

40.00 Let the g^r. Sec. post, from which
 an Ash 10 in. dia. bears N 38° W 12 lks. dist. of
 a Beech 12 " " " S 23° E 8 " "

58.32 a Beech 24 " " in the line

80.00 Let a post Cor. to Secs. 26, 27, 34 & 35, from which
 a Beech 24 in. dia. bears N 46° E 26 lks. dist. of
 a Sugar 36 " " " S 43° W 21 " "

Land hilly 2ⁿ. rate, Beech, Ash, Sugar, undgth Office

East Cont. Random between Secs. 26 & 35, T3 N. R2 E

40.00 Let temp^y. g^r. Sec. post

77.00 a stream 8 lks. wide E. of NW

78.50 Intersected the N & S. line 90 lks. S. of post

Land rolling 2ⁿ. rate, Ash, Beech, Sugar undgth Office

West On true line between Secs. 26 & 35, T3 N. R2 E.

39.25 Let g^r. Sec. post at average dist. from which
 a Beech 10 in. dia. bears N 29° E 14 lks. dist. of
 a do 6 " " " S 85° W 3 " "

78.50 to Sec. Corner. Sept. 1st 1820

North Between Secs. 26 & 27, T3 N. R2 E.

19.74 a Beech 8 in. dia. in the line

40.00 Let the g^r. Sec. post, from which
 a Water Beech 10 in. dia. bears N 80° E 22 lks. dist. of
 a Beech 24 " " " N 34° W 31 " "

68.90 a 2^d. Walnut 6 " " in the line

80.00 Let a post Cor. to Secs. 22, 23, 26 & 27, from which

T3N. R2E. 2^d. Mer. Indiana

a Hickory 12 in. dia. bray S47E 6 lks. dist. of
 a B. Walnut 30 " " " N52W 22 " "
 Land level 2^d rate, timber Ash, Walnut, Hack-
 berry &c. undgth Spice &c.

East On Random betwⁿ Secs. 23 & 26, T3N. R2E.
 20.50 a Spring branch 4 lks. wide Cr. S.E.
 40.00 Let temp^y. g^r. Sec. post
 79.21 Intersected the N & S. line, 70 lks. S. of the post
 Land level 2^d rate, timber Ash, Sugar, undgth Spice &c.

West On true line between Secs. 23 & 26, T3N. R2E.
 39.60 Let g^r. Sec. post at average dist. from which
 an Elm 10 in. dia. bray S45W 19 lks. dist. of
 a Do 6 " " " N50E 31 " "
 79.21 to Sec. Corner.

North Between Secs. 22 & 23, T3N. R2E.
 22.30 an Elm 10 in. dia. in the line
 28.83 Intersected White River 250 lks. wide, let a post from
 which a Willow 7 in. dia. bray N70W 10 lks. dist. of
 a Do 6 " " " S9E 14 " "
 33.30 Let a post on Right bank of River from which
 a Willow 4 in. dia. bray N80W 11 lks. dist. of
 a Do 5 " " " East 3 " "
 40.00 Let the g^r. Sec. post, from which
 a Lycamore 10 in. dia. bray N44W 20 lks. dist. of
 an Elm 4 " " " S58E 12 " "
 64.84 a Ash 30 " " in the line
 80.00 Let a post Cor. to Secs. 14, 15, 22 & 23, from which
 a Hickory 10 in. dia. bray N5E. 30 lks. dist. of
 an Elm 40 " " " S34W 14 " "
 Land level 1st rate, Ash, Walnut, Hickory &c. undgth Spice

T13 N. R2 E. 2^d. Mer. Indiana

East On Random between Sec. 14 & 23, T13 N. R2 E
 17.00 White River 400 lks wide S.W. Current moderate
 40.00 Set temp. g. Sec. post
 79.37 Intersected the N & S. line 106 lks. S. of the post
 Land level 1st rate, Ash, Walnut, Sugar, undg. Spice

West On true line betw. Sec. 14 & 23, T13 N. R2 E
 18.05 Set a post on Right bank of River from which
 a Sycamore 40 m. dia. bran S 74 E 9 lks. dist of
 a do 37 " " " S 74 W 9 " "
 39.68 Set g. Sec. post at average dist from which
 a Hackberry 18 m. dia. bran S 32 E 40 lks. dist of
 a do 12 " " " N 68 W 13 " "
 79.37 to Section Corner.

North Between Sec. 14 & 15, T13 N. R2 E.
 22.94 an Ash 18 m. dia. in the line
 40.00 Set the g. Sec. post, from which
 a Beech 3 m. dia. bran S 37 W 12 lks. dist of
 a do 11 " " " N 28 E 20 " "
 59.50 a Spring Course West
 76.65 a Beech 18 m. dia. in the line
 80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which
 a Beech 15 m. dia. bran S 88 E 36 lks. dist of
 a do 12 " " " S 80 W 20 " "
 Level 1st rate land, Ash, Beech, Sugar &c. under
 growth Spice, Cork, &c.

East On Random between Sec. 11 & 14, T13 N. R2 E.
 40.00 Set temp. g. Sec. post
 78.96 Intersected the N & S. line 30 lks. S. of the post
 Land level 1st rate, Ash, Beech, Walnut, &c. undg. Spice

T13 N. R2 E. 2nd Mer. Indiana

West On true line between Sec. 11 & 14, T13 N. R2 E.
 39.48 Let q. Sec. post at average dist. from which
 an Ash 7 mi. dist. bear North 10th dist. of
 a Beech 30 " " " N40th 47 " "
 78.96 to Sec. Cor.

North Between Sec. 10 & 11, T13 N. R2 E.
 23.21 a Buckeye 10 mi. dist. in the line
 40.00 Let the q. Sec. post, from which
 an Elm 36 mi. dist. bear S57th W 20th dist. of
 a Sugar 8 " " " N59th E 36 " "
 59.00 a Beech 15 " " in the line
 75.00 a Branch 3th wide Cr. S.E.
 80.00 Let a post Cor. to Sec. 2, 3, 10 & 11, from which
 an Elm 7 mi. dist. bear N41th E 12th dist. of
 an Ash 48 " " " S80th W 36 " "
 Land level 1st rate, timber Ash, Sugar, Walnut &c
 undugth Spice &c. Apt. 2nd 1820

East On Random between Sec. 2 & 11, T13 N. R2 E.
 40.00 Let temp. q. Sec. post
 79.28 Intersected the N & S. line 15th S. of post
 Land level 1st rate, Ash, Hackberry, Sugar &c. undugth
 growth Spice, birch &c.

West On true line between Sec. 2 & 11, T13 N. R2 E.
 39.64 Let q. Sec. post at average dist. from which
 a Buckeye 18 mi. dist. bear N65th E 22th dist. of
 a Do 7 " " " S33th W 21 " "
 79.28 to Sec. Corner.

North Between Sec. 2 & 3, T13 N. R2 E.
 15.15 a Sugar 26 mi. dist. in the line

T13 N. R2 E. 2nd Mer. Indiana

- 20.00 a Branch 3 lks. wide C.S. E.
 40.00 Set the q. Sec. post, from which
 a Sugar 10 in. dia. bran S68°W 24 lks. dist. of
 an Elm 11 " " " S50 E 16 " "
 62.15 a Beech 24 " " in the line
 66.60 a Branch 3 lks. wide C.S. W.
 76.68 Intersected the N. boundary 150 lks. N. of post
 Set a post Cor. to Sec. 27 & 34, from which
 a Sugar 10 in. dia. bran N44 E 12 lks. dist. of
 a Beech 24 " " " S32°W 34 " "
 Land rolling 2nd rate, Ash, Beech, Sugar, under-
 growth Spruce &c.

North Between Sec. 33 & 34, T13 N. R2 E.

- 25.88 a Buckeye 15 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Hickory 12 in. dia. bran S30°W 27 lks. dist.
 a Hackberry " " " N4°W 67 " "
 56.66 a Buckeye 15 " " in the line
 80.00 Set a post Cor. to Sec. 27, 28, 33 & 34, from which
 an Ash 10 in. dia. bran S51 E 25 lks. dist. of
 a Hackberry 24 " " " N75°W 33 " "
 Land level 2nd rate, Ash, Buckeye, Hackberry
 undergrowth Spruce &c.

East On Random between Sec. 27 & 34, T13 N. R2 E.

- 40.00 Set temp. q. Sec. post
 55.60 a Spring branch 3 lks. wide C.S. N.W.
 65.00 a Spring
 80.50 Intersected the N & S. line 243 lks. S. of post
 Land level 1st rate, timber Ash, Hackberry, &c.
 undergrowth Spruce &c.

T3N. R2E. 2.ⁿ Mer. Indiana

West On true line betwⁿ Secs. 27 & 34, T3N. R2E.
 40.25 Set of Sec. post at average dist. from which
 an Ash 18 in. dia. brang N16W 11 lks. dist. of
 a Walnut 18 " " " S14E 75 " "
 80.50 to Sec. Corner

North Between Secs. 27 & 28, T3N. R2E.
 7.80 Set a post on the Left bank of W. River from which
 a Sycamore 18 in. dia. brang S22W 8 lks. dist. of
 a Do 24 " " " N39W 18 " "
 12.67 Set a post on Right bank of River from which
 a Sycamore 10 in. dia. brang North 43 lks. dist. of
 a Hackberry 10 " " " N54W 23 " "
 29.93 an Elm 28 in. dia. in the line
 40.00 Set the of Sec. post, from which
 an Ash 20 in. dia. brang N66W 5 lks. dist. of
 a Sugar 15 " " " S50E 35 " "
 55.60 a Mulberry 11 " " in the line
 80.00 Set a post Cor. to Secs. 21, 22, 27 & 28, from which
 a Beech 15 in. dia. brang S89E 19 lks. dist. of
 a Do 18 " " " N35W 26 " "
 Sand hilly 2ⁿ rate, timber Ash, Beech, Sugar
 &c. undergth. Spice &c

East On Random between Secs. 22 & 27, T3N. R2E
 40.00 Set temp^y. of Sec. post
 65.00 White River 300 lks. wide Ct. S.W. Current moderate
 80.50 Intersected the N. & S. line 160 lks. S. of the post
 Sand level 2ⁿ rate, oak, Beech, Sugar, Elm &c.
 undergth. Spice &c.

West On true line between Secs. 22 & 27, T3N. R2E
 10.27 White River where set a post on Left bank, from which

Set R2E Tⁿ. Mer. Indiana

- a Hackberry 26 in. dia. bran N15E 27 lks. dist. of
 a Hickory 18 " " " S4E90 " "
 14.50 Set a post on right bank of River from which
 a Willow 3 in. dia. bran S19W 13 lks. dist. of
 a do 2 " " " N49E17 " "
 40.25 Set of Sec. post at average dist. from which
 an Ash 30 in. dia. bran S39W 28 lks. dist. of
 a do 12 " " " N50E50 " "
 80.50 to Section Corner.

North Between Sec. 21 & 22, T13N, R2E.

- 12.40 a Spring branch 4 lks. wide E. E.
 29.45 a Cherry 15 in. dia. in the line
 40.00 Set the of. Sec. post. from which
 a Sugar 6 in. dia. bran N28E 17 lks. dist. of
 a do 12 " " " S17W 25 " "
 48.28 a Sugar 12 " " in the line
 80.00 Set the Sec. post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 24 in. dia. bran N34E 24 lks. dist. of
 a Sugar 10 " " " S3W 16 " "
 Land hilly 2^d rate, timber, Ash, Beech, Sugar &c
 undergth Spruce.

East Between Sec. 15 & 22 on Random

- 40.00 Set temp^y. of. Sec. post
 80.75 Intersected the N. & S. line 158 lks. S. of post
 1st 1/2 hilly 2^d rate - last 1/2 level 1st rate, timber
 ash, Sugar, Hackberry &c. undergrowth Spruce
 &c.
 September 4th 1820

West On true line between Sec. 15 & 22, T13N, R2E.

- 40.37 Set of. Sec. post from which
 a Sugar 24 in. dia. bran S48W 44 lks. dist. of

T13N R2E 2^d. Mer. Indiana

an Ash 26 in. dia. beam N39 E 34 lks. dist. of
80.75 to Sec. Corner.

North Between Sec. 15 & 16, T13N. R2E.

14.80 a Sugar 8 in. dia. in the line

40.00 Set the q. post from which

a Beech 6 in. dia. beam N57 E 10 lks. dist. of

a Dogwood 5 " " " S31 W 20 " "

55.00 a W. Oak 24 " " in the line

80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which

a Dogwood - in. dia. beam N65 E 22 lks. dist. of

a Sugar 6 " " " S40 W 28 " "

Sandhilly 3^d rate, timber Ash, Sugar, Poplar,
Beech, Oak &c. undergth Spruce

East On Random between Sec. 10 & 15, T13N. R2E

40.00 Set temp^y. q. Sec. post

80.00 Intersected the N & S. line, 173 lks. S. of post.

Sandhilly 3^d rate, Oak, Poplar, Beech, Sugar
Oak &c. undergth Spruce & greenbriar

West On true line between Sec. 10 & 15, T13N. R2E.

40.00 Set q. Sec. post at average dist from which

a Sugar 6 in. dia. beam N79 W 22 lks. dist. of

a Do 12 " " " S75 E 39 " "

80.00 to Sec. Corner.

North between Sec. 9 & 10, T13N. R2E.

23.44 a Beech 20 in. dia. in the line

23.94 a Spring branch 2 lks. wide C & S. E.

40.00 Set the q. Sec. post, from which

a Sugar 7 in. dia. beam N82 W 11 lks. dist. of

an Ash 24 " " " S87 E 39 " "

comp.

S13 N. R2 E. 2^d. Mer. Indiana

63.20 a W. Oak 48 m. diam. in the line
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which
 a Beech 11 m. diam. bran N 71 E 20 lks. dist. of
 a Hickory 15 " " " N 54 W 11 " "
 Land hilly 2^d. rate, Ash, Beech, Sugar, Hick.
 &c. undergth. Spice &c.

East On Random between Sec. 3 & 10, S13 N. R2 E.
 40.00 Set temp^l. of Sec. post
 79.60 Intersected the N & S. line 200 lks. S. of post
 Land hilly 2^d. rate, Ash, Beech, Sugar &c.
 undergth. Spice &c.

West On true line between Sec. 3 & 10, S13 N. R2 E.
 39.80 Set of Sec. post at average dist. from which
 a Beech 20 m. diam. bran N 30 W 27 lks. dist. of
 an Ironwood 4 " " " S 20 E 4 " "
 79.60 to Sec. Corner. Sept. 5th 1820

North Between Sec. 3 & 4, S13 N. R2 E.
 24.54 an Elm 15 m. diam. in the line
 40.00 Set the of Sec. post, from which
 a Beech 20 m. diam. bran N 55 W. 27 lks. dist. of
 a Do 12 " " " S 25 E 23 " "
 61.75 a Hickory 12 " " in the line
 77.32 Intersected the N. boundary 90 lks. W. of post
 Set a post Cor. to Sec. 3 & 4, from which
 a Beech 10 m. diam. bran S 59 W 35 lks. dist. of
 a Do 10 " " " N 31 E 42 " "
 Land rolling 3^d. rate, timber Ash, Beech
 Poplar, Hickory, undergth. Spice

North Between Sec. 32 & 33, S13 N. R2 E

T13N R2E 2^d. Mer. Indiana

- 1.00 White River 250 lks. wide Cr. W. Current
 Gentle Set a post on Left bank, from which
 a Buckeye 6 m. dia. bran N33W 15 lks. dist. of
 a Hickory 6 " " " N75E 16 " "
- 5.40 Set a post on Right bank of River from which
 a Willow 8 m. dia. bran N35W 6 lks. dist. of
 a Sycamore 7 " " " N50E 5 " "
- 20.10 a B. Walnut 30 " " in the line
- 40.00 Set the q. Sec. post, from which
 an Ash 6 m. dia. bran N55E 23 lks. dist. of
 a Beech 5 " " " N36W 34 " "
- 67.90 a Beech 18 " " in the line
- 80.00 Set a post Cor. to Sec. 28, 29, 32 & 33, from which
 a Hickory 15 m. dia. bran N70E 24 lks. dist.
 a Beech 18 " " " N35W 22 " "
 Land hilly 2^d. rate, Ash, Beech, Oak &c.
 undergth. Spice &c

- East On Random between Sec. 28 & 33, T13N. R2E
- 40.00 Set temp^y. q. Sec. post
- 71.60 White River 390 lks. wide Cr. S. W. Current moderate
- 80.25 Intersected the N. S. line 160 lks. S. of the post
 Land rolling 2^d. rate, timber, Beech, Oak,
 Ash &c. undergth. Spice &c.

- West On true line between Sec. 28 & 33, T13N. R2E.
- 4.00 Set a post on Left bank of White R. from which
 a Willow 3 m. dia. bran N70W 10 lks. dist. of
 an Ash 24 " " " N33E 28 " "
- 8.30 Set a post on Right bank of River from which
 a Sycamore 10 m. dia. bran N53W 9 lks. dist. of
 a Cottonwood 7 " " " N16E 50 " "
- 40.12 Set q. Sec. post at average dist. from which

479

13th R2E. 2^d Mer. Indiana

a Beech 11 in. dia., bear N21E 28 lks. dist. of
 a Do 12 " " " N21W 26 " "
 80.25 to Sec. Corner.

North Between Secs. 28 & 29, 13th R2E.
 23.50 a Sugar 15 in. dia. in the line
 40.00 Set the gr. Sec. post, from which
 a Sugar 6 in. dia., bear N82E 18 lks. dist. of
 a Dogwood 3 " " " N81W 4 " "
 58.50 a Sugar 18 " " in the line
 80.00 Set a post Cor. to Secs. 20, 21, 28 & 29, from which
 a Beech 14 in. dia., bear N70E 25 lks. dist. of
 a Hickory 18 " " " N76W 13 " "
 Land level 2^d rate, timber Ash, Beech, Sugar,
 Oak &c. undergth Spruce &c.

East On Random between 21 & 28, 13th R2E.
 40.00 Set temp^y. gr. Sec. post
 80.20 Intersected the S. line 158 lks. S. of post
 Land rolling 2^d rate, timber Ash, Beech,
 Sugar &c. undergth Spruce &c.

West On true line between Secs. 21 & 28, 13th R2E.
 40.10 Set gr. Sec. post, at average dist. from which
 a Beech 6 in. dia., bear N80E 12 lks. dist. of
 a Do 18 " " " N29W 20 " "
 80.20 to Sec. Corner

North Between Secs. 20 & 21, 13th R2E.
 18.46 an Ash 15 in. dia. in the line
 40.00 Set the gr. Sec. post from which
 a B. Oak 15 in. dia., bear N75W 21 lks. dist. of
 a Beech 15 " " " S87E 30 " "

T13 N R2 E, T. Mer. Indiana

61.50 a Sugar 18 in. dia. in the line
 80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which
 a Beech 10 in. dia. bears S30 E 10 lks. dist. of
 a Do 5 " " " S27 W 10 " "
 Land level 2^d rate, timber Ash, Beech, Poplar
 &c. undergth Spruce

East On Rand^m. betwⁿ. Sec. 16 & 21, T13 N. R2 E
 40.00 Set temp^y. q^t. Sec. post
 80.00 Intersected the N & S. line 175 lks. S. of post
 Land timber &c. same as on the last mile

West On true line between Sec. 16 & 21, T13 N. R2 E.
 40.00 Set q^t. Sec. post, at average dist. from which
 a Beech 10 in. dia. bears S44 E 36 lks. dist. of
 a Do 24 " " " S33 W 44 " "
 80.00 to Section Corner.

North Between Sec. 16 & 17, T13 N. R2 E.
 18.00 a Poplar 24 in. dia. in the line
 40.00 Set the q^t. Sec. post, from which
 a Beech 6 in. dia. bears N85 W 21 lks. dist. of
 a W. Oak 24 " " " S67 E 21 " "
 53.00 a Beech 18 " " in the line
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
 a Beech 20 in. dia. bears S79 E 16 lks. dist. of
 a Sugar 6 " " " S66 W 17 " "
 Land rolling 2^d rate, Ash, Poplar, Beech, undgth Spruce

East On Random between Sec. 9 & 16, T13 N. R2 E.
 40.00 Set temp^y. q^t. Sec. post
 80.17 Intersected the N & S. line 150 lks. S. of post
 Land rolling 2^d rate, timber Ash, Beech,

T3rd N 2nd E. T. Mer. IndianaOak &c. undergth Spruce &c. Sept. 6th 1820

West Out true line between Sec. 9 & 16, T3rd N. R2nd E.
 40.08¹/₂ Set of Sec. post at average dist. out true line from which
 a Poplar 30 in. dia. bray N 68 E 16 lks. dist. of
 a Beech 12 " " " N 39 W 20 " "
 80.17 to Sec. Corner.

North Between Sec. 8 & 9, T3rd N. R2nd E.
 18.20 a Sugar 15 in. dia. in the line
 40.00 Set the of Sec. post, from which
 a Beech 6 in. dia. bray N 71 E 20 lks. dist. of
 a Do 10 " " " N 88 W 22 " "
 62.40 a Beech 12 " " in the line
 80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, T3rd N. R2nd E.
 from which a Beech 24 in. dia. bray N 40 E 44 lks. dist. of
 a Do 11 " " " N 60 W 8 " "
 Land level 2nd rate, timber Ash, Beech, Sugar,
 Poplar &c. undergth Spruce.

East On Random between Sec. 4 & 9, T3rd N. R2nd E.
 40.00 Set temp^l of Sec. post
 80.24 Intersected the N & S. line 190 lks. S. of post. 1¹/₂
 mile level 2nd rate last ¹/₂ hilly 3rd rate, timber Ash,
 Beech, Oak &c. undergth Spruce

West Out true line betwⁿ. Sec. 4 & 9, T3rd N. R2nd E.
 40.12 Set of Sec. post at average dist. from which
 a Sugar 6 in. dia. bray N 46 E 6 lks. dist. of
 a Do 7 " " " N 15 W 26 " "
 80.24 to Sec. Corner

North Between Sec. 4 & 5, T3rd N. R2nd E.

T3N. R2E. 2^d. Mer. Indiana

- 26.60 a Hickory 24 in. dia. in the line
 40.00 Let the q. Sec. post, from which
 a B. Ash 20 in. dia. bear N4W38th dist. of
 a Hickory 10 " " " S10W10 " "
 62.90 a Sugar 8 " " in the line
 77.75 intersected the N. boundary 121th W. of post
 Let a post cor. to Sec. 4 & 5, from which
 a Water Beech 4 in. dia. bear N35E33th dist. of
 a Do 5 " " " S26W16 " "
 Land hilly 2^d rate, timber Hickory, Ash, Beech
 &c. under 1st Price &c.
-

North Between Sec. 31 & 32, T3N. R2E.

- 14.56 a Stream 7th W. wide Cr. E.
 21.00 a Sugar 18 in. dia. in the line
 40.00 Let the q. Sec. post, from which
 a Sugar 18 in. dia. bear N16E17th dist. of
 a Beech 15 " " " S44W40 " "
 72.00 a Beech 18 " " in the line
 80.00 Let a post cor. to Sec. 29, 30, 31 & 32, from which
 an Ironwood 6 in. dia. bear N89E28th dist. of
 a Beech 18 " " " N77W22 " "
 Land level 1st rate, timber Ash, Sugar, Beech,
 under 1st Price &c
-

West Between Sec. 30 & 31, T3N. R2E.

- 25.16 a Beech 24 in. dia. in the line
 40.00 Let the q. Sec. post, from which
 a Beech 10 in. dia. bear N1W33th dist. of
 a Do 20 " " " S5E30 " "
 57.80 a Beech 10 " " in the line
 63.80 a Spring branch 4th W. wide Cr. N.W.
 65.00 intersected the W. boundary 233th W. of post

T3 N. R2 E. 2^d. Mer. Indiana

Set a post Cor. to Sec. 30 & 31, from which
 a Beech 12 in. diam. bears N 25 E 18 lks. dist. of
 a W. Oak 26 " " " N 52 W 15 " "
 Sand rolling 2^d rate, timber Ash, Beech, Poplar
 Sugar &c. underg^d Spice.

East On Random between Sec. 29 & 32, T3 N. R2 E.

40.00 Set temp^y. of Sec. post

81.10 Intersected the N & S. line 223 lks. S. of the post
 Sand level 2^d rate, timber Ash, Beech, Poplar &c.
 undergrowth Spice Sept. 7th 1820

West On true line between Sec. 29 & 32, T3 N. R2 E.

40.55 Set of Sec. post at average dist. from which
 a Beech 10 in. diam. bears N 60 E 46 lks. dist. of
 a do 4 " " " S 80 W 21 " "

81.10 to Sec. Corner.

North Between Sec. 29 & 30, T3 N. R2 E.

20.80 a Beech 12 in. diam. in the line

40.00 Set the of Sec. post, from which
 a Beech 18 in. diam. bears N 27 W 28 lks. dist. of
 an Ash 7 " " S 2 E 21 " "

59.25 a Hickory 20 " " in the line

80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from which
 a Water Beech 6 in. diam. bears N 79 W 14 lks. dist. of
 a Buckeye 4 " " " S 72 E 14 " "
 Sand level 1st rate, timber Ash, Beech, Sugar, Walnut
 Hackberry, Buckeye &c. underg^d Spice

West Between Sec. 19 & 30, T3 N. R2 E.

20.75 a Beech 24 in. diam. in the line

40.00 Set the of Sec. post, from which

T13 N. R2 E. 2^d. Mer. Indiana

- a Beech 7 in. dia. bray S35W19 lks. dist. of
 a No 18 " " " N56E21 " "
 61.50 a Beech 18 " " in the line
 64.50 Intersected the W. boundary 178 lks. N. of post
 let a post Cor. to Sec. 19 & 30, from which
 a Beech 12 in. dia. bray S25-37 lks. dist. of
 a No 20 " " " N35E6 " "
 Land level 1st rate last 1/2 rate, timber
 ash, Beech, Sugar, Walnut &c

East On Random betwⁿ Sec. 20 & 29, T13 N. R2 E

- 7.00 a Branch 3 lks. wide Co. S.W.
 40.00 let temp. q. Sec. post
 81.06 Intersected the N & S. line 230 lks. S. of the post
 Land level 2^d rate, timber ash, Beech, Sugar, Hickory,
 &c. under gth Spice

West On true line betwⁿ Sec. 20 & 29, T13 N. R2 E.

- 40.53 a Sugar 4 in. dia. at average dist. from which
 a Beech 15 in. dia. bray N83E25 lks. dist. of
 a No 3 " " " N72W9 " "
 81.06 to Sec. Corner

North Between Sec. 19 & 20, T13 N. R2 E.

- 21.95 an Ash 24 in. dia. in the line
 40.00 let the q. Sec. post, from which
 a Beech 26 in. dia. bray N70W33 lks. dist. of
 an Ash 30 " " " N83E26 " "
 52.90 a Beech 24 " " in the line
 80.00 let a post Cor. to Sec. 17, 18, 19 & 20 from which
 a Beech 12 in. dia. bray N55E17 lks. dist. of
 a No 12 " " " N76W23 " "
 Rolling 1st rate, ash, Beech, Sugar &c. under gth Spice &c

T3N. R2E. S. Mer. Indiana

East On Random between Sec. 17 & 20 T3N. R2E.
 40.00 Set temp. g. Sec. post
 80.70 Intersected the N & S. line 175 lks. S. of the post
 Land rolling 2nd rate, Ash, Hick, Beech, and g. Spice.

West On true line betwⁿ. Sec. 17 & 20, T3N. R2E.
 40.35 Set g. Sec. post at average dist. from which
 a Beech 12 m. dia. bears N 76 E 9 lks. dist. to
 a Do 10 " " " N 83 W 32 " "
 80.70 to Sec. Cor.

West Between Sec. 18 & 19, T3N. R2E.
 33.00 a Creek 50 lks. wide Cr. & M. Current lively
 39.50 a Maple 8 m. dia. in the line
 40.00 Set the g. Sec. post, from which
 a Maple 15 m. dia. bears S 57 W 6 lks. dist. of
 a Sycamore 12 " " " N 33 E 25 " "
 53.83 a Hackberry 15 " " in the line
 64.00 Intersected the W. boundary 134 lks. N. of post
 Set a post Cor. to Sec. 18 & 19, from which
 a Beech 18 m. dia. bears North 35 lks. dist. of
 a Do 28 " " " S 27 E 46 " "
 Land rolling 1st rate, timber Ash, Elm, Walnut,
 Hackberry, Beech, and g. Spice.

North Between Sec. 17 & 18, T3N. R2E.
 26.50 a Beech 26 m. dia. in the line
 40.00 a Beech 10 m. dia. for g. Cor. from which
 a Beech 20 m. dia. bears N 11 E 30 lks. dist. of
 a Do 18 " " " N 19 E 21 " "
 55.50 a Poplar 26 " " in the line
 80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which
 a Beech 8 m. dia. bears S 60 E 6 lks. dist. of

T3 N. R2 E. 2.^d Mer. Indiana

a Sugar 20 in. diam. bearing N 57° W 20 lks. dist.
Rolling 3.^d rate, Beech, Poplar &c. underg.th Spice

East On Random between Sec. 8 & 17, T3 N. R2 E
40.00 Set temp. q. Sec. post
80.60 Intersected the N & S. line 214 lks. S. of the post
Land level 2.^d rate, timber Ash, Beech, Hickory
undergrowth Spice &c

West On true line between Sec. 8 & 17, T3 N. R2 E.
40.30 Set q. Sec. post at average dist. from which
a Beech 10 in. diam. bearing S 21° W 5 lks. dist. of
a W. Oak 8 " " " N 10° E 21 " "
80.60 to Sec. Corner.

West Between Sec. 7 & 18, T3 N. R2 E.
12.50 an Ash 26 in. diam. in the line
40.00 Set the q. Sec. post, from which
a Sugar 10 in. diam. bearing S 70° W 50 lks. dist. of
a Beech 24 " " " N 84° E 27 " "
56.66 a Buckeye 10 " " in the line
62.70 a Creek 50 lks. wide C. & S. current lively
63.20 Intersected the W. boundary 125 lks. N. of post
Set a post Cor. to Sec. 7 & 18, T3 N. R2 E, from which
a Sycamore 28 in. diam. bearing South 12 lks. dist. of
a Do 24 " " " N 1° W 60 " "
Rolling 2.^d rate, timber Ash, Beech, Sugar &c.
underg.th Spice &c. Sept. 8th 1820

North Between Sec. 7 & 8, T3 N. R2 E
11.15 a Sugar 10 in. diam. in the line
40.00 Set the q. Sec. post, from which
a Beech 12 in. diam. bearing N 21° E 16 lks. dist. of

T13N-1R2E.2^d. Mer. Indiana

a Beech 10 in. dia. bear S 70 W. 25 lks. dist.
 60.75 a Beech 14 " " in the line
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which
 an Ash 28 in. dia. bear S 50 E 4 lks. dist. of
 a Beech 26 " " " N 58 W 35 " "
 Land hilly 3rd rate, timber Ash, Beech, Oak &c.
 undergth Spruce &c

East On Random betwⁿ Sec. 5 & 8, T13N. 1R2E.
 40.00 Set temp^y of Sec. post
 80.62 Intersected the N & S. line 161 lks. S. of the post
 Land level 2nd rate, timber Ash, Beech, Hickory
 &c. undergth Spruce

West On true line between Sec. 5 & 8, T13N. 1R2E.
 40.31 Set of Sec. post at average dist. from which
 a Beech 4 in. dia. bear S 55 E 18 lks. dist. of
 a Do 6 " " " N 64 W 19 " "
 80.62 to Sec. Corner.

West Between Sec. 6 & 7, T13N. 1R2E.
 17.70 a W. Oak 40 in. dia. in the line
 40.00 Set the of Sec. post, from which
 a Beech 6 in. dia. bear S 7 E 13 lks. dist. of
 a Sugar 4 " " " N 14 W 34 " "
 53.96 a Poplar 20 " " in the line
 63.28 Intersected the W. boundary 146 lks. N. of post
 Set a post Cor. to Sec. 6 & 7, from which
 a Beech 10 in. dia. bear N 7 E 10 lks. dist. of
 a Do 28 " " " S 27 W 22 " "
 Land hilly 3rd rate, timber Beech, Sugar, Oak &c
 undergrowth Spruce &c.

T13 N R2 E 2nd Mer. Indiana

North Between Sec. 5 & 6, T13 N, R2 E.

25.25 an Elm 48 in. dia. in the line

39.20 a Spring branch 5 krs. wide Cr. W.

40.00 At the q. Sec. post, from which

a Beech 20 in. dia. bear N15 E 24 krs. dist. &

a Do 18 " " " South 10 " "

54.20 a Beech 18 " " in the line

77.43 Intersected the N. boundary 212 krs. N. of post

Set a post Cor. to Sec. 5 & 6, from which

a Beech 10 in. dia. bear S58 W 16 krs. dist. &

a Do 4 " " " N50 E 12 " "

Land rolling S. rate, timber ash, Beech, Poplar,
undergth Spruce &c. Sept. 9th 1820

Meanders of the Rightbank of White River
from a post in the E. boundary, thence down the

S83 W 10.31	in Sec. 1	N60 E 5.45	
S49 W 7.07		East 4.58	
S66 W 8.75		N55 E 8.80	
S38 W 9.15		N36 E 9.00	to line between
S16 W 3.37	to line between	N36 E 1.00	Sec. 12 & 13
S16 W 7.31	Sec. 11 & 12	East 2.67	in Sec. 12
S5 W 22.31	in Sec. 12	S50 E 0.69	to line between
S83 W 8.18		S50 E 1.49	Sec. 12 & 13
S52 W 6.60		S20 E 8.17	in Sec. 13
S23 W 18.24		S10 W 4.30	
S5 E 8.26		S16 W 13.30	
S30 E 5.24		S30 W 15.78	
S70 E 22.00		South 11.50	
S32 W 3.57		S20 W 3.85	
S55 W 9.92	to line betw. Sec.	S45 W 4.88	
S24 W 3.59	12 & 13	S68 W 18.43	
S5 E 6.23	in Sec. 13	S55 W 9.84	

S. N. R. E. 2^d. Mer. Indiana

S65 W	6.00		S80 E	2.76	
S75 W	20.50	to line between Sec. 13 & 14 in Sec. 14	S42 E	3.00	
S75 W	9.50		S10 E	4.00	
S81 W	11.50	to line between Sec. 14 & 23 in Sec. 23.	S18 W	4.44	to line between Sec. 22 & 27 in Sec. 27
S81 W	6.50		S48 W	3.50	
S89 W	11.00		S59 W	9.50	
S85 W	6.78		S45 W	18.50	Sept. 20 th 1820
S82 W	5.00		S25 W	8.00	
N77 W	10.00		S40 W	8.50	
S77 W	9.50		S3 W	8.00	
S50 W	8.00		S20 E	4.50	
S22 W	6.00		S35 E	2.71	
S3 W	12.00		S62 E	7.50	
S10 E	18.50		S75 E	7.50	
S25 W	4.00		S10 E	2.50	
S68 W	4.12	to line between Sec. 22 & 23 in Sec. 22	S45 W	9.50	a Rapid
S68 W	0.88		S55 W	5.00	
S81 W	4.00		S47 W	6.00	
N38 W	22.50		S76 W	6.50	
N55 W	4.00		S85 W	3.50	
N75 W	9.00		N80 W	2.50	
S83 W	10.00		N67 W	9.50	
S45 W	12.00		West	10.00	
S22 W	2.32		N53 W	3.97	to line between Sec. 27 & 28 in Sec. 28
S53 W	5.00		N55 W	2.53	
S25 W	6.00		S25 W	6.00	
S5 W	13.50		S35 W	5.00	
S20 E	4.50		S10 W	2.50	to line between Sec. 28 & 33 in Sec. 33
S47 E	8.00		S31 W	9.79	
S61 E	5.50		S20 W	1.00	on Island
S82 E	14.50		S20 W	10.50	
N85 E	9.00		S21 E	2.00	lower end of island
N65 E	5.50		S3 E	7.90	

S13 N. R2 E. T. Mer. Indiana

S8 W	6.50		N32 E	8.50	
S32 W	9.50		N5 E	7.00	
S59 W	4.00		N40 E	3.00	
S83 W	6.50		N55 E	3.50	
N85 W	3.74		N85 E	8.00	
N73 W	4.50		S75 E	8.50	
N58 W	8.00		S61 E	6.00	
S68 W	14.50		S82 E	6.50	
S55 W	9.00		N78 E	8.00	
S28 W	3.50		N48 E	10.50	
S40 W	6.50		N25 E	5.00	a creek 39 ft wide comes from South
S5 E	11.50		N10 E	3.50	
S62 W	7.44	to line between Sec. 32 & 33	N20 E	5.00	
N69 W	4.50	in Sec. 32	N8 W	5.00	
N55 W	9.00		N5 E	3.50	
S65 W	9.50		N15 W	9.50	
S37 W	4.50		N28 E	10.50	
S12 W	6.13	to S. boundary of S13 N. R2 E.	N20 E	3.50	to line between Sec. 28 & 33
Left Bank up stream from S. boundary S13 N. R2 E.			N20 E	6.50	in Sec. 28
			N45 E	0.78	to line between Sec. 27 & 28
N20 E	3.00	in Sec. 32	N45 E	2.72	in Sec. 27
N35 E	3.50		N71 E	3.00	
N62 E	3.50		S88 E	7.00	
S80 E	5.50		S71 E	5.50	
S53 E	7.00		S85 E	15.50	
S75 E	2.76	to line between Sec. 32 & 33	N75 E	6.00	
S75 E	3.24	in Sec. 33	N55 E	7.00	
N68 E	6.50		N37 E	12.00	
N50 E	2.50		N16 E	10.00	Sept. 24 th 1820
N30 E	1.50		N19 W	4.50	
N10 E	4.50		N71 W	6.00	
N23 E	4.00	an Island	N80 W	4.00	
			N30 W	4.00	

T3 N. R2 E. 2nd Mer. Indiana

491

N20 E	3.50		N78 E	3.00	
N40 E	12.50		N76 E	10.00	
N27 E	8.00		East	13.50	
N50 E	23.50		N83 E	5.50	
N29 E	3.85	to line between Sec. 22 & 27 in Sec. 22	N83 E	27.00	
N29 E	4.75		N75 E	6.37	to line between Sec. 23 & 24 at 17.00 a stream 25 yds. wide from S.E.
N17 W	5.50		N75 E	14.63	
N42 W	5.00		N65 E	1.00	to line between Sec. 13 & 24 in Sec. 13
N66 W	5.50		N65 E	2.50	
N85 W	17.50		N71 E	4.50	
N88 W	7.50		N60 E	15.50	at 3.50 a spring
N65 W	4.50		N69 E	16.00	
N45 W	9.50		N50 E	3.50	
N5 E	7.00		N43 E	11.50	
N35 E	20.00		N15 E	3.00	
N52 E	4.50		N10 E	6.00	
N77 E	4.50		North	8.50	
N82 E	7.00		N20 E	3.50	
N60 E	5.50		N33 E	6.00	
N45 E	4.50		N20 E	10.50	
N33 E	8.50		N10 E	9.00	
N50 E	4.00		N20 E	2.50	
N30 E	3.00		North	6.50	
N60 E	6.00		N32 W	2.50	
N82 E	4.07	to line between Sec. 22 & 23 in Sec. 23	N52 W	1.00	
N82 E	4.43		N35 W	1.80	to line between Sec. 12 & 13 in Sec. 12
N46 E	6.00		N35 W	2.20	
N24 E	3.50		N74 W	5.50	
N5 E	10.50		N70 W	7.50	
N18 W	7.00		N5 W	1.50	to line between Sec. 12 & 13 in Sec. 13
N9 W	8.50		N50 W	11.00	
N10 E	6.00		N80 W	4.50	
N40 E	7.50		North	1.50	

T13 N R2 E, 2^d Mer. Indiana

N25 E	2.50	
N45 E	2.50	
N58 E	0.90	to line between Sec. 12 & 13.
N58 E	0.60	in Sec. 12, T13 N R2 E.
N75 E	5.50	
N20 E	7.00	
N10 W	3.50	
N40 W	4.00	
N58 W	5.50	
N70 W	6.50	
N83 W	8.00	
N22 W	2.00	
N12 E	2.00	an Island
N20 E	2.50	
N20 W	2.50	
N15 E	2.50	
N25 E	2.50	upper end of Island
N25 E	2.00	
N44 E	4.00	
N80 E	10.50	
N39 E	7.00	
N10 E	5.50	
N10 W	6.50	
North	7.00	
N8 E	6.50	
N15 E	2.00	to line between Sec. 11 & 12
N15 E	2.50	in Sec. 11, T13 N R2 E
N25 E	2.50	
N50 E	5.50	
N70 E	10.00	
N55 E	3.00	
N83 E	4.00	
N68 E	2.14	to the E. boundary of T13 N R2 E.

Comp^d

T13 N. R2 E. T. Mer. Indiana

Surveyed in 1820 by Basil Bently
Dep. Sur.

I Certify that the foregoing transcript of field notes of
Township N. 13. R. 2 E. T. Mer. Indiana, has
been Comp. with the original notes in this office and found
to be Correct.

Surveyor General's Office
Cincinnati, March 24th 1843

E. S. Cairns
Sur. Genl.